

Carpentry Drilling Machine ZB 400 E up to machine no. 799279

ref.no.: 922901_799279

EAN:



Technical data

Tilt range	0 - 45 °
Nominal No. of strokes – no load	340 - 1450 1/min
Nominal power input	1.6 hp
Universal motor	230 V / 50 Hz
Drilling depth	13 3/4 Inch
Weight	36.4 lbs

Delivery specification

- 1 Focussing device for drill bit diameters 10 - 28 mm (3/8 - 1 1/8 in.)
- 1 Adapter for drill bit with MK2 chuck
- 1 Mains cable 10 m (32.8 ft)

Applications

- ▶ Tilts through 45° in one direction
- ▶ Precision and series drilling
- ▶ Angle drilling
- ▶ Compatible materials include solid wood and laminated beams

Advantages

- ▶ Tool-less rapid locking – for simple, fast drill bit changes.
- ▶ Swivelling focussing device – for simple drill bit changes.
- ▶ High quality standard means longer service life.

Description

The ZB 400 E / ZB 600 E with poka-yoke rapid locking system for the chuck.

Also equipped with electronic speed control, clockwise/counter-clockwise rotation, two-speed mechanical gear, 63 mm (2 1/2 in.) clamping collar and centring bolt.

Further advantages of the ZB 400 E / ZB 600 E include well-balanced handles for free-hand operation and overhead work and speed adjustment in accordance with drill bit size and separate stop plate bar for drilling depth setting. All these make the drilling machine indispensable for extreme drilling in the hardest timber.

contact

MAFELL AG

Beffendorfer Straße 4
D-78727 Oberndorf / Neckar
Germany

Tel.: +49 7423 / 812-114
Fax: +49 7423 812-102
Email: export@mafell.de